

SKF Cooper split spherical roller bearings

Reduce MTTR for increased productivity – and improve worker safety



Cut downtime to a minimum

For customers looking for bearings designed to be easily replaced in situ with little disturbance to the shaft alignment or driveline, SKF Cooper split spherical roller bearings offer a solution – reducing mean time to repair (MTTR) by 70%.

- Allows safer and time-saving in situ bearing replacements in the trapped position on conveyor pulleys, stacker reclaimers and other machinery
- Sealed variant available for increased protection against contamination and reduced maintenance
- Longer service life (MTBF) compared to other split bearings, thanks to the wire cut inner and outer ring manufacturing technique and sealed versions
- Sealed variant reduces grease consumption and cuts environmental impact
- Compatible with SKF metric and inch split block housings e.g. SNLD, SMS and SAF / SDAF
- Reduced risk of shaft fretting with better axial clamping
- Interchangeable with competitors' split spherical roller bearings and split block housings




MTTR: FROM 24 HOURS TO 8 HOURS*

* In-field reports of bearing changes for mining customers





Cost savings







Taking on your biggest challenge

Tough enough for heavy-duty industries

- Mining
- Mineral processing
- Cement

And a wide range of applications

- Conveyor pulleys
- Rope sheaves
- Bucket elevators
- Stackers/reclaimers
- Hoists and winches
- Horizontal grinding mill pinions
- Mixers and agitators
- Jack shafts
- Fans





Boost worker safety

43% of accidents in the mining and cement industry occur while workers perform maintenance or checks on conveyors. With the SKF Cooper split spherical roller bearings there is no need to dismount the drive coupling or the cantilevered drive to replace the bearing thus avoiding realignment. This greatly reduces the safety risk to workers.

Meet your requirements

SKF Cooper split spherical roller bearings are manufactured to ISO Normal precision and running accuracy. The mounted internal radial clearance of the split bearing is slightly more or less than the mounted clearance of a standard (CN) spherical roller bearing mounted on an adapter sleeve. Other bearing internal clearances (e.g. C3) are available upon request.

The SKF Cooper split spherical roller bearing can be used with SKF metric and inch split block housings. The split bearing outer shroud is the same dimension as a standard ISO spherical bearing outer ring.

Minimum load

The requisite minimum load to be applied to spherical roller bearings can be estimated using $P_m = 0.01 C_0$ where:

- P_m = Equivalent minimum load, kN
- C₀ = basic static load rating, kN

Shaft and housing fitting

- Shaft ISO h9 (IT5/2 and surface roughness, Ra = 0,8)
- Housing ISO G7 (IT6/2)

Grease lubrication (grease ordered separately)

Fill the bearing with one of the following recommended SKF greases at assembly:

Ambient conditions

- Normal LGEP 2
- High temperatures (to +120 °C (+248 °F)) LGHB 2
- Cold temperatures (to –30 °C (–22 °F)) LGWM 2

Alternative Lithium/Lithium Complex NLGI 2 greases with suitable base oil viscosity can be used.

The bearing should be relubricated with grease through its W33 groove according to the following formula: $G_p = 0.0015 \times D \times B$ for sealed bearings where:

- G_p = grease quantity, grams
- D = bearing outside diameter, mm
- B = bearing outer ring width, mm

The frequency of the relubrication should be according to the General Catalogue and based on the bearing size, shaft speed, operating temperature, etc.

SKF SYSTEM24 lubricators with SKF LGWA 2 grease can be used to relubricate the bearings.

Oil lubrication

Use ISO VG 220 oil or ISO VG 320 oil as required.

Temperature limits

Bearing components are heat stable up to $120\,^{\circ}\text{C}$ at continuous operation. The seals have a limit of $-40\,^{\circ}\text{C}$ to $+90\,^{\circ}\text{C}$ ($-40\,^{\circ}\text{F}$ to $+194\,^{\circ}\text{F}$). Check that the bearing is adequately lubricated for normal operating conditions.

Bearing rating life

SKF Cooper uses ISO 281:2007 to calculate the L_{10m} modified rating life of the split spherical roller bearing. The sealed split bearing will have minimum two times longer rating life than the open (unsealed) bearings because of the improved exclusion of contamination.

5KF. 5

Bearing equivalent load, Pr

The bearing equivalent dynamic load is calculated the same as a standard (non-split) spherical roller bearing with a dynamic factor, fd. See table.

•
$$P_r = fd (XF_r + YF_a)$$

ISO modified rating life, L_{10mh}

The modified rating life is calculated the same as a standard spherical bearing using the following:

$$L_{10\text{mh}} = a_{ISO} \left(\frac{C_r}{P_r} \right)^{\frac{10}{3}} \frac{1000000}{60n}$$

Consult SKF Applications Engineering for assistance.

Permissible axial load

Owing to the steel inner ring clamp ring design, the SKF Cooper split spherical roller bearings have 50–100% higher permissible axial shaft clamp load capability compared to competitor's bearings.


Misalignment

The split spherical roller bearing has a permissible angular misalignment between the inner and outer ring of 2° for bearings with shaft diameter less than 280 mm and 3° for bearings with 280 mm shaft diameter and larger. Sealed bearings have a permissible misalignment of \pm 0.5°. This is the same permissible misalignment as the SKF TK taconite seal mounted in the SKF split block housings.


Dynamic factor

The appropriate dynamic factor (fd) may be taken from the chart.

Conditions	fd
Steady load or small fluctuations	1.0 –1.3
Light shock	1.3-2.3
Heavy shock, vibration or reciprocation	2.0 - 3.5



Life modification factor, aISO for radial roller bearings based on ISO 281



INSTALLATION

Mount the split spherical bearing according to the instructions provided with the packaging. Safety is very important. Read all installation instructions carefully before starting work.

Follow all warnings and precautions and wear proper PPE as required. The requisite minimum tightening torques for the screws are provided in the tables.

Principal dimensions			Dimensions					Basic load ratings dynamic static		Fatigue load limit			Designations open	sealed	
d	D	В	С	d_2	D_1	D_2	b	K	C_r	C_{o}	C_{u}	sealed	unsealed		
Shaft diameter															
mm				mm					kN			r/min		_	
240 260 280	440 460 500	144 146 160	200 200 220	277 300 321	386 421 446	365 396 422	16 16 16	9 9 9	1 675 2 120 2 140	2 885 3 705 3 805	246 307 311	170 155 145	510 455 455	231S240M 231S260M 231S280M	231S240M-2SRS 231S260M-2SRS 231S280M-2SRS
300 320 340	540 580 600	176 190 192	230 254 262	346 370 394	482 522 553	452 482 508	22 22 22	9 12 12	2 604 3 041 3 582	4 670 5 530 6 560	372 432 502	135 125 120	410 385 340	2315300M 2315320M 2315340M	231S300M-2SR9 231S320M-2SR9 231S340M-2SR9
360 380 400	620 650 700	194 200 224	262 274 292	415 435 455	576 592 632	534 552 575	22 22 22	12 12 12	3 638 3 546 3 790	6 710 6 555 7 075	506 489 521	115 105 105	340 340 320	2315360M 2315380M 2315400M	231S360M-2SR 231S380M-2SR 231S400M-2SR
410 430 450	720 760 790	226 240 248	292 306 310	455 484 508	632 682 700	575 628 643	22 22 22	12 12 12	3 790 4 791 4 853	7 075 8 990 9 260	521 648 659	105 95 90	320 295 290	2315410M 2315430M 2315450M	231S410M-2SRS 231S430M-2SRS 231S450M-2SRS

Calcul	ation fa	ctors		Designations open sealed			
е	Y_1	Y ₂	Y_0	Mass	open scaled		
_				kg	-		
0,3	2,3	3,4	2,2	120	231S240M 231S240M-2SRS		
0,31	2,1	3,3	2,2	131	231S260M 231S260M-2SRS		
0,3	2,3	3,4	2,2	171	231S280M 231S280M-2SRS		
0,3	2,3	3,4	2,2	212	2315300M 2315300M-25RS		
0,31	2,2	3,3	2,2	272	2315320M 2315320M-25RS		
0,31	2,2	3,3	2,2	293	2315340M 2315340M-25RS		
0,3	2,3	3,4	2,2	308	2315360M 2315360M-25RS		
0,3	2,3	3,4	2,2	344	2315380M 2315380M-25RS		
0,28	2,4	3,6	2,5	438	2315400M 2315400M-25RS		
0,28	2,4	3,6	2,5	464	2315410M 2315410M-25RS		
0,3	2,3	3,4	2,2	564	2315430M 2315430M-25RS		
0,3	2,3	3,4	2,2	613	2315450M 2315450M-25RS		

Consult SKF for availability of inch dimension bearings and other series and sizes

skf.com

 $@ {\sf SKF,COOPER} \ {\sf and SKF SYSTEM24} \ {\sf are registered trademarks of the SKF Group}. \\$

© SKF Group 2019

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

PUB 73/P2 18333 EN · March 2019

Certain image(s) used under license from Shutterstock.com.